

Energy Transfer Scheduling

RVP ROLLOUT REQUIREMENTS 2026

Midwest

Origins: Cedar Point, Toledo & Lima

Date	Conventional Premium						Conventional Subgrade							
	Detroit, Michigan		Ohio ^B		Pennsylvania		Detroit, Michigan		Ohio		Pennsylvania		New York	
	Neat RVP	Code	Neat RVP	Code	Neat RVP	Code	Neat RVP	Code	Neat RVP	Code	Neat RVP	Code	Neat RVP	Code
Jan	15.0	93CB155	15.0	93CB155	15.0	93CB155	15.0	87CB155	15.0	87CB155	15.0	87CB155	14.5	87CB150
1-Feb	15.0	93CB155	15.0	93CB155	15.0	93CB155	15.0	87CB155	15.0	87CB155	15.0	87CB155	14.5	87CB150
21-Feb	15.0	93CB155	15.0	93CB155	15.0	93CB155	15.0	87CB155	15.0	87CB155	15.0	87CB155	12.9	87CB135
1-Mar	13.5	93CB145	13.5	93CB145	13.5	93CB145	13.5	87CB145	13.5	87CB145	13.5	87CB145	12.9	87CB135
21-Mar	8.8	93CB100	8.8 ^C	93CB100	8.8	93CB100	8.8	87CB100	13.5	87CB145	8.8	87CB100	7.6	87CB90
1-Apr	8.8	93CB100	8.8	93CB100	8.8	93CB100	8.8	87CB100	8.8 ^C	87CB100	8.8	87CB100	7.6	87CB90
21-Apr	6.8	93CB80	8.8	93CB100	8.8	93CB100	6.8	87CB80	8.8	87CB100	8.8	87CB100	7.6	87CB90
1-May	6.8	93CB80	9.0	93CB100	9.0	93CB100	6.8	87CB80	9.0	87CB100	9.0	87CB100	7.8	87CB90
11-Sep ^A	13.5	93CB145	11.5	93CB125	11.5	93CB125	13.5	87CB145	11.5	87CB125	13.5	87CB145	11.5	87CB125
1-Oct	13.5	93CB145	13.5	93CB145	13.5	93CB145	13.5	87CB145	13.5	87CB145	13.5	87CB145	12.9	87CB135
1-Nov	15.0	93CB155	15.0	93CB155	15.0	93CB155	15.0	87CB155	15.0	87CB155	15.0	87CB155	14.5	87CB150

A. Michigan New York, Ohio and Pennsylvania RVP grades will not deliver to terminals until 9/16.

B. Pipeline will accept 13.5 PSI Neat RVP until 04/01 for shipment to destinations in Columbus and Dayton, OH with destination approval.

C. EPA is reinstating the 1-psi waiver for the state of Ohio.

Dates in “red” represents the RVP rollout period.